APPENDIX O

2006 – 2008 HYDROGEOLOGIC DATA

This page intentionally left blank

Table 1. Soil Sample Results for Metals Reported by the Analytical Laboratory

	Sample Label (all values below PRGs)									
Analyte Name	RAS-12	RAS-13	RAS-14	RAS-15	RAS-16	RAS-17	RAS-18	RAS-19	RAS-20	Industrial PRG
	4/5/2007	4/5/2007	4/5/2007	4/5/2007	4/5/2007	4/5/2007	4/5/2007	4/5/2007	4/5/2007	mg/kg
Aluminum	22,000	24,000	19,000	18,000	21,000	29,000	24,000	22,000	18,000	990,000
Antimony	<0.95	<1	<1	<0.99	<0.94	<1	<0.99	<0.95	<0.96	410.00
Arsenic	<1.9	<2	<2	<2	<1.9	<2	<2	<1.9	<1.9	1.6
Barium	89	90	92	56	120	59	58	75	60	190,000
Beryllium	<2.4	<2.5	<2.5	<2.5	<2.4	<2.5	<2.5	<2.4	<2.4	2,000.00
Cadmium	0.43	<0.1	0.16	0.20	0.20	0.12	0.20	<0.095	<0.096	810.00
Calcium*	14,000	11,700	8,990	66,400	49,000	7,070	14,400	24,800	26,400	N/A
Chromium	140	120	100	170	160	140	250	100	120	1,400
Cobalt	45	36	44	43	45	39	45	14	41	300
Copper	54	40	35	44	41	57	110	22	21	41,000
Iron*	78,400	73,100	59,300	64,500	84,100	77,300	110,000	74,100	86,000	720,000
Lead	28.00	1.70	3.20	5.80	5.00	2.10	81.00	2.90	3.00	800
Magnesium*	3,760	7,230	5,340	2,790	1,550	7,350	524	2,370	2,210	N/A
Manganese*	1,200	430	1,000	1,100	1,300	840	970	280	790	N/A
Mercury	0.08	0.02	0.04	0.04	0.08	0.05	0.09	0.04	0.07	28
Nickel	79.00	120.00	74.00	59.00	120.00	82.00	47.00	35.00	46.00	20000
Potassium*	814.00	678.00	754.00	656.00	488.00	487.00	255.00	173.00	279.00	N/A
Selenium	<0.95	<1	<1	<0.99	<0.94	<1	<0.99	<0.95	<0.96	5100
Silver	12.00	<1	<1	<0.99	<0.94	<1	<0.99	<0.95	<0.96	5100
Sodium*	330	488	518	314	265	239	88	318	488	N/A
Thallium	<0.38	<0.4	<0.4	<0.4	<0.38	<0.4	<0.4	<0.38	<0.38	66.00
Vanadium	140	110	110	140	130	99	210	130	190	5,200
Zinc	190	60	54	52	57	45	72	30	29	310,000

PRG = EPA Region IX Industrial Preliminary Remediation Goal for Soil

N/A = PRG Not Available

* = Results for sodium, potassium, magnesium, manganese, iron, and calcium should be considered estimates

Table 2. Soil Sample Results for Explosives and Perchlorate Reported by the Analytical Laboratory

All values in ug/g	Sample Label and Date (all values below laboratory detection limits)			
	RAS-59	**RAS-60**	**RAS-61**	**RAS-62**
Analyte Name	4/22/2008	4/22/2008	4/22/2008	4/22/2008
1,3,5-Trinitrobenzene	<0.05	<0.05	<0.05	<0.05
1,3-Dinitrobenzene	<0.05	<0.05	<0.05	<0.05
2,4,6-Trinitrotoluene	<0.05	<0.05	<0.05	<0.05
2,4-Dinitrotoluene	<0.05	<0.05	<0.05	<0.05
2,6-Dinitrotoluene	<0.05	<0.05	<0.05	<0.05
2-Amino-4,6-dinitrotoluene	<0.05	<0.05	<0.05	<0.05
2-Nitrotoluene	<0.05	<0.05	<0.05	<0.05
3-Nitrotoluene	<0.05	<0.05	<0.05	<0.05
4-Amino-2,6-dinitrotoluene	<0.05	<0.05	<0.05	<0.05
4-Nitrotoluene	<0.05	<0.05	<0.05	<0.05
HMX {Octogen}	<0.1	<0.1	<0.1	<0.1
Nitrobenzene	<0.05	<0.05	<0.05	<0.05
Nitroglycerin	<0.05	<0.05	<0.05	<0.05
Perchlorate {ClO4}	<0.01	<0.01	<0.01	<0.01
PETN	<0.05	<0.05	<0.05	<0.05
RDX {Hexogen}	<0.05	<0.05	<0.05	<0.05
Tetryl	<0.05	<0.05	<0.05	<0.05

Table 3. Surface Water Metal Results Reported by the Analytical Laboratory for Station SW-7

	RA14-SW-7 DISSOLVED		RA14-SW-7 TOTAL		RA14-SW-7C DISSOLVED		RA14-SW-7C TOTAL		RA14-SW-7FF DISSOLVED		RA14-SW-7FF TOTAL		RA1-SW-7C (Total)		RA1-SW-7FF (Dissolved)		RA1-SW-7FF (Total)		RA4-SW-7FF (Total)		RA4-SW-7FF (DISSOLVED)		Regulatory Limits	
Analyte Name	12/15/2008	Note	12/15/2008	Note	12/16/2008	Note	12/16/2008	Note	12/15/2008	Note	12/15/2008	Note	5/13/2007	Note	5/13/2007	Note	5/13/2007	Note	12/11/2007	Note	12/11/2007	Note	**PRG (ug/l) (paste)**	**MCL (ug/l) (paste)**
Aluminum	< 200		819		< 200		625		< 200		32,900		5,100		190		1,300		1,820		< 200		37,000	N/A
Antimony	< 2	2	< 2	2	< 2	2	< 2	2	< 2	2	< 2	2	< 5		< 5		< 5		< 2		< 2		15	6
Arsenic	< 1	2	< 5	2	< 1	2	< 5	2	< 1	2	< 5	2	< 2		< 2		< 2		< 1		< 1		0.045	10
Barium	10.1		10.9		10.5		10.9		7.58		63.7		14		8.2		9		8.61		6.08		7,300	2,000
Beryllium	N/A		N/A		N/A		N/A		N/A		N/A		< 2.5		< 2.5		< 2.5		< 1		< 1		73	4
Cadmium	< 1		< 5		< 1		< 5		< 1		< 5		< 0.5		< 0.5		< 0.5		< 1		< 1		18	5
Calcium	33,200		35,500		36,100		37,800		40,800		104,000		42,000		35,000		35,000		45,000		41,000		N/A	N/A
Chromium	< 2		3.64		< 2		3.45		< 2		128		11		< 2.5		4		10.8	1	< 2	1	55,000	N/A
Cobalt	< 1		< 5		< 1		< 5		< 1		**22.7**		< 5		< 5		< 5		1.55		< 1		11	N/A
Copper	5.28		6.19		4.68		5.02		6.35		56.3		19		7.8		8.7		5.46	1	3.27	1	1,500	1,300
Iron	< 50		1310		< 50		986		< 50		**60,800**		6,800		290		1,600		3,100		< 100		26,000	N/A
Lead	< 10		< 10		< 10		< 10		< 10		< 10		8.2		< 2		< 2		1.45		< 1		N/A	15
Magnesium	15,000		16,000		15,500		16,700		6,740		12,200		6,600		6,100		6,000		4,740		4,470		N/A	N/A
Manganese	< 1		15.6		< 1		14.9		< 1		844		140		17		34		43.8	1	< 1	1	880	N/A
Mercury	< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		0.63	2
Nickel	< 2		2.04		3.47		3.89		9.12		63.8		220		55		57		13.5	1	8.76	1	730	N/A
Potassium	7,240		8,050		7,980		8,130		18,100		17,900		22,000		19,000		19,000		12,500		12,300		N/A	N/A
Selenium	< 10	2	< 5	2	< 10	2	< 5	2	< 10	2	< 5	2	< 5		< 5		< 5		< 1	1	< 1	1	180	50
Silver	< 1		< 5		< 1		< 5		< 1		< 5		< 1		< 1		< 1		< 1		< 1		180	N/A
Sodium	25,000		27,700		27,200		28,000		11,600		10,600		9,000		10,000		9,900		5,610	1	5,610	1	N/A	N/A
Thallium	< 10	2	< 10	2	< 10	2	< 10	2	< 10	2	< 10	2	< 2		< 2		< 2		< 1	1	< 1	1	2.4	2
Vanadium	4		5.56		4.04		5.2		14		82.7		23		11		13		9.17		6.76		260	N/A
Zinc	< 20		< 20		< 20		< 20		< 20		116		190		49		71		493		< 20		11,000	N/A

1, 2 = Results are considered estimates.
Bold and shaded values > PRGs

Table 3 (Con't). Surface Water Metal Results Reported by the Analytical Laboratory for Station SW-8

	RA14-SW-8 DISSOLVED		RA14-SW-8 TOTAL		RA14-SW-8FF DISSOLVED		RA14-SW-8FF TOTAL		Regulatory Limits	
Analyte Name	12/15/2008	Note	12/15/2008	Note	12/15/2008	Note	12/15/2008	Note	**PRG (ug/l)**	**MCL (ug/l)**
Aluminum	< 200		1,750		< 200		50,300		37,000	N/A
Antimony	< 2	1	< 2	1	< 2	1	< 2	1	15	6
Arsenic	< 1	1	< 5	1	< 1	1	< 5	1	0.045	10
Barium	3.43		6.2		5.01		290		7,300	2,000
Cadmium	< 1		< 5		< 1		< 5		18	5
Calcium	8,560		8,020		12,700		25,700		N/A	N/A
Chromium	< 2		6.4		< 2		130		55,000	N/A
Cobalt	< 1		< 5		< 1		**44.1**		11	N/A
Copper	1.59		8		3.87		83.1		1,500	1,300
Iron	< 50		1,750		< 50		**73,800**		26,000	N/A
Lead	< 10		< 10		< 10		< 10		N/A	15
Magnesium	7,320		6,980		10,000		18,400		N/A	N/A
Manganese	< 1		18.1		< 1		**2,210**		880	N/A
Mercury	< 0.2		< 0.2		< 0.2		< 0.2		0.63	2
Nickel	< 2		2.66		< 2		56.1		730	N/A
Potassium	2,550		2,410		2,910		3,930		N/A	N/A
Selenium	< 10	1	< 5	1	< 10	1	< 5	1	180	50
Silver	< 1		< 5		< 1		< 5		180	N/A
Sodium	21,500		19,800		22,600		21,500		N/A	N/A
Thallium	< 10	1	< 10	1	< 10	1	< 10	1	2.4	2
Vanadium	2.59		< 5		2.2		89.5		260	N/A
Zinc	< 20		< 20		< 20		122		11,000	N/A

1. Values for metals are considered estimates.

Bold and shaded values > PRGs

Table 3 (Con't). Surface Water Metal Results Reported by the Analytical Laboratory for Station SW-9

	RA14-SW-9 DISSOLVED		RA14-SW-9 TOTAL		Regulatory Limits	
Analyte Name	12/15/2008	Note	12/15/2008	Note	PRG (ug/l)	MCL (ug/l)
Aluminum	< 200		< 200		37,000	N/A
Antimony	< 2	1	< 2	1	15	6
Arsenic	< 1	1	< 5	1	0.045	10
Barium	7.48		6.82		7,300	2,000
Cadmium	< 1		< 5		18	5
Calcium	22,000		21,000		N/A	N/A
Chromium	< 2		< 2		55,000	N/A
Cobalt	< 1		< 5		11	N/A
Copper	4.48		6.93		1,500	1,300
Iron	< 50		94		26,000	N/A
Lead	< 10		< 10		N/A	15
Magnesium	14,000		13,500		N/A	N/A
Manganese	< 1		< 5		880	N/A
Mercury	< 0.2		< 0.2		0.63	2
Nickel	2.67		2.46		730	N/A
Potassium	6,520		6,330		N/A	N/A
Selenium	< 10	1	< 5	1	180	50
Silver	< 1		< 5		180	N/A
Sodium	36,200		34,400		N/A	N/A
Thallium	< 10	1	< 10	1	2.4	2
Vanadium	4.55		< 5		260	N/A
Zinc	< 20		< 20		11,000	N/A

1. Results for these metals are considered estimates.

Bold and shaded values > PRGs

Table 3 (Con't). Surface Water Metal Results Reported by the Analytical Laboratory for Station SW-10

	RA4-SW-10FF (Dissolved)		RA4-SW-10FF (Total)		RA1-SW-10FF-2 (Total)		RA1-SW-10-1 (Total)		RA14-SW-10 (Total)		RA14-SW-10 (Dissolved)		Regulatory Limits	
Analyte Name	Results 12/11/2007 in ug/l	Note	Results 12/11/2007 in ug/l	Note	Results 3/16/2007 in ug/l	Note	3/9/2007 in ug/l	Note	12/15/2008 in ug/l	Note	12/15/2008 in ug/l	Note	PRG (ug/l)	MCL (ug/l)
Aluminum	< 200		4,140		6,100		3,340	2	14,800		< 200		37,000	N/A
Antimony	< 2		< 2		< 200		< 200	2	< 2	4	< 2	4	15	6
Arsenic	< 1		**1.65**		< 200		< 200		< 5	4	< 1	4	0.045	10
Barium	2.6		7.74		14		< 10		37.3		3.69		7,300	2,000
Beryllium	< 1		< 1		< 5		< 5		N/A		N/A		73	4
Cadmium	< 1		< 1		< 10		< 10		< 5		< 1		18	5
Calcium	4,220		5,010		7,020		4,310		16,800		12,200		N/A	N/A
Chromium	< 2	3	16.2	3	24		< 20		46.8		< 2		55,000	N/A
Cobalt	< 1		2.67		< 50		< 50		**15.7**		< 1		11	N/A
Copper	< 2	3	7.04	3	12		< 10		32.6		1.16		1,500	1,300
Iron	< 100		5,210		7,060		3,690	2	19,900		< 50		26,000	N/A
Lead	< 1		< 1		< 100		< 100		< 10		< 10		N/A	15
Magnesium	4,260		4,940		5,880		3,740		13,900		10,300		N/A	N/A
Manganese	1.2	3	66	3	177		89		489		< 1		880	N/A
Mercury	< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		< 0.2		0.63	2
Nickel	8.48	3	16.4	3	< 50		87		20		< 2		730	N/A
Potassium	4,420		4,470		4,110		4,250		1,840		1,550		N/A	N/A
Selenium	< 1	3	< 1	3	< 200		< 200		< 5	4	< 10		180	50
Silver	< 1		< 1		< 10		< 10	1	< 5		< 1	4	180	N/A
Sodium	14,000	3	13,600	3	12,800		10,500		23,100		22,900		N/A	N/A
Thallium	< 1	3	< 1	3	< 200		< 200		< 10	4	< 10	4	2.4	2
Vanadium	1.72		8.46		< 50		< 50		25.9		2.02		260	N/A
Zinc	< 20		490		83		55		30		< 20		11,000	N/A

1 = Results are approximate
2,3,4 = Results for these metals are estimates
Bold and shaded values > PRGs
N/A = Not available

Table 4. Surface Water Explosive Results Reported by the Analytical Laboratory for Station SW-7

	RA14-SW-7C		RA14-SW-7FF		RA1-SW-7C		RA1-SW-7FF		RA4-SW-7FF		RA4-SW-7FF-B		Regulatory Limits	
Analyte Name	12/16/2008	Note	12/15/2008	Note	5/13/2007	Note	5/13/2007	Note	12/11/2007	Note	12/11/2007	Note	**PRG (ug/L)**	**MCL (ug/L)**
1,3,5-Trinitrobenzene	<0.03		<0.03		<0.03		<0.03		<0.03		<0.03			
1,3-Dinitrobenzene	<0.09		<0.09		<0.09		<0.09		<0.09		<0.09			
2,4,6-Trinitrotoluene	<0.03		<0.03		<0.03		<0.03		<0.03		<0.03			
2,4-Dinitrotoluene	<0.02		<0.02		<0.02		<0.02		<0.02		<0.02			
2,6-Dinitrotoluene	<0.01		<0.01		<0.01		<0.01		<0.01		<0.01			
2-Amino-4,6-dinitrotoluene	<0.1		<0.1		<0.1		<0.1		<0.1		<0.1			
2-Nitrotoluene	<0.09		<0.09		<0.09		<0.09		<0.09		<0.09			
3-Nitrotoluene	<0.09		<0.09		<0.09		<0.09		<0.09		<0.09			
4-Amino-2,6-dinitrotoluene	<0.1		<0.1		<0.1		<0.1		<0.1		<0.1			
4-Nitrotoluene	<0.09		<0.09		<0.09		<0.09		<0.09		<0.09			
HMX {Octogen}	<3		<3		<3		<3		<3		<3			
Nitrobenzene	<0.03		<0.03		<0.03		<0.03		<0.03		<0.03			
Nitroglycerin	<0.09		<0.09		<0.09		<0.09		<0.09		<0.09			
PETN	<0.1		<0.1		<0.1		<0.1		<0.1		<0.1			
RDX {Hexogen}	0.2		<0.1		<0.1		<0.1		<0.1		<0.1		0.61	N/A
Tetryl	<0.5		<0.5		<0.5		<0.5		<0.5		<0.5			

N/A = Not Available

Bold and shaded values > PRGs

Table 4 (Con't). Surface Water Explosive Results Reported by the Analytical Laboratory for Station SW-8

	RA14-SW-8FF		Regulatory Limits	
Analyte Name	12/15/2008 in ug/l	Note	**PRG (ug/L)**	**MCL (ug/L)**
1,3,5-Trinitrobenzene	<0.03			
1,3-Dinitrobenzene	<0.09			
2,4,6-Trinitrotoluene	<0.03			
2,4-Dinitrotoluene	<0.02			
2,6-Dinitrotoluene	<0.01			
2-Amino-4,6-dinitrotoluene	<0.1			
2-Nitrotoluene	<0.09			
3-Nitrotoluene	<0.09			
4-Amino-2,6-dinitrotoluene	0.036	J	73	N/A
4-Nitrotoluene	<0.09			
HMX {Octogen}	<3			
Nitrobenzene	<0.03			
Nitroglycerin	<0.09			
PETN	<0.1			
RDX {Hexogen}	0.28		0.61	N/A
Tetryl	<0.5			

J = Results is below reporting limit

Bold and shaded values > PRGs

Table 4 (Con't). Surface Water Explosive Results Reported by the Analytical Laboratory for Station SW-10

	RA14-SW-10		RA1-SW-10-1		RA4-SW-10FF		Regulatory Limits	
Analyte Name	12/15/2008	Note	3/9/2007	Note	12/11/2007	Note	**PRG (ug/L)**	**MCL (ug/L)**
1,3,5-Trinitrobenzene	<0.03		<0.03		<0.03			
1,3-Dinitrobenzene	<0.09		<0.09		<0.09			
2,4,6-Trinitrotoluene	<0.03		<0.03		<0.03			
2,4-Dinitrotoluene	<0.02		<0.02		<0.02			
2,6-Dinitrotoluene	<0.01		<0.01		<0.01			
2-Amino-4,6-dinitrotoluene	<0.1		<0.1		<0.1			
2-Nitrotoluene	<0.09		<0.09		<0.09			
3-Nitrotoluene	<0.09		<0.09		<0.09			
4-Amino-2,6-dinitrotoluene	<0.1		<0.1		<0.1			
4-Nitrotoluene	<0.09		<0.09		<0.09			
HMX {Octogen}	<3		<3		<3			
Nitrobenzene	<0.03		<0.03		<0.03			
Nitroglycerin	<0.09		<0.09		<0.09			
PETN	<0.1		<0.1		<0.1			
RDX {Hexogen}	<0.1		0.36		0.14		0.61	N/A
Tetryl	<0.5		<0.5		<0.5			

Bold and shaded values > PRGs

Table 5. Surface Water Perchlorate Results Reported by the Analytical Laboratory for Station SW-7

Field ID	Collection Date	Perchlorate Concentration (ug/l)	PRG (ug/L)	MCL (ug/L)
RA1-SW-10-1	3/9/2007	< 1		
RA1-SW-7FF	5/13/2007	1.3	26	N/A
RA1-SW-7C	5/13/2007	1.1	26	N/A
RA4-SW-7FF	12/11/2007	4.8	26	N/A
RA4-SW-10FF	12/11/2007	< 1		
RA14-SW-9	12/15/2008	< 1		
RA14-SW-8FF	12/15/2008	< 1		
RA14-SW-8	12/15/2008	< 1		
RA14-SW-7FF	12/15/2008	< 1		
RA14-SW-7C	12/16/2008	< 1		
RA14-SW-7	12/15/2008	< 1		
RA14-SW-10	12/15/2008	< 1		

Bold and shaded values > PRGs

Table 6. Groundwater Metal Concentations Reported by the Analytical Laboratory above PRGs or MCLs.

Sample Number	Well Number	Round Number	Date	Analyte	Concentration (ug/l)	PRG	MCL
MW-1-R7 (Dissolved Metals)	MW-1	Round 1	10/30/2006	Total Arsenic	**1.08**	0.045	10
MW-2-R7 (Total Metals)	MW-2	Round 1	11/3/2006	Total Arsenic	**1.02**	0.045	10
MW-3C-R7 (Dissolved Metals)	MW-3C	Round 1	11/3/2006	Total Arsenic	**2.53**	0.045	10
MW-3C-R7 (Total Metals)	MW-3C	Round 1	11/3/2006	Total Arsenic	**2.5**	0.045	10
MW-3C-R7-D (Dissolved Metals)	MW-3C	Round 1	11/3/2006	Total Arsenic	**2.52**	0.045	10
MW-3C-R7-D (Total Metals)	MW-3C (Split)	Round 1	11/3/2006	Total Arsenic	**2.67**	0.045	10
MW-3C-R7-MS/MSD (Diss Metals)	MW-3C (Reanalysis)	Round 1	11/3/2006	Total Arsenic	**2.52**	0.045	10
MW-3C-R7-MS/MSD (Total Metals)	MW-3C (Reanalysis)	Round 1	11/3/2006	Total Arsenic	**2.57**	0.045	10
MW-4C-R7 (Total Metals)	MW-4C	Round 1	10/31/2006	Total Arsenic	**1.14**	0.045	10
RA2-MW-1 (DISSOLVED)	MW-1	Round 2	4/3/2007	Total Arsenic	**1.14**	0.045	10
RA2-MW-1 (Total)	MW-1	Round 2	4/3/2007	Total Arsenic	**1.33**	0.045	10
RA2-MW-10 (DISSOLVED)	MW-3C (split)	Round 2	4/4/2007	Total Arsenic	**2.82**	0.045	10
RA2-MW-10 (Total)	MW-3C (split)	Round 2	4/4/2007	Total Arsenic	**2.86**	0.045	10
RA2-MW-11 (DISSOLVED)	MW-5 (split)	Round 2	4/5/2007	Total Arsenic	**1.18**	0.045	10
RA2-MW-11 (Dissolved)	MW-5 (split)	Round 2	6/21/2007	Total Arsenic	**1.29**	0.045	10
RA2-MW-11 (Total)	MW-5 (split)	Round 2	4/5/2007	Total Arsenic	**1.36**	0.045	10
RA2-MW-11 (Total)	MW-5 (split)	Round 2	6/21/2007	Total Arsenic	**10.7**	0.045	10
RA2-MW-2 (DISSOLVED)	MW-2	Round 2	4/4/2007	Total Arsenic	**1.29**	0.045	10
RA2-MW-3C (DISSOLVED)	MW-3C	Round 2	4/4/2007	Total Arsenic	**2.88**	0.045	10
RA2-MW-3C (Total)	MW-3C	Round 2	4/4/2007	Total Arsenic	**2.82**	0.045	10
RA2-MW-5 (DISSOLVED)	MW-5	Round 2	4/5/2007	Total Arsenic	**1.17**	0.045	10
RA2-MW-5 (Total)	MW-5	Round 2	6/21/2007	Total Arsenic	**1.2**	0.045	10
RA2-MW-5 (Total)	MW-5	Round 2	4/5/2007	Total Arsenic	**1.45**	0.045	10
RA3-MW-1 (Dissolved)	MW-1	Round 3	7/5/2007	Total Arsenic	**1.21**	0.045	10
RA3-MW-1 (Total)	MW-1	Round 3	7/5/2007	Total Arsenic	**1.89**	0.045	10
RA3-MW-15 (Total)	split for MW-4C	Round 3	7/6/2007	Total Arsenic	**1.36**	0.045	10
RA3-MW-2 (Dissolved)	MW-2	Round 3	7/6/2007	Total Arsenic	**1.29**	0.045	10
RA3-MW-2 (Total)	MW-2	Round 3	7/6/2007	Total Arsenic	**1.65**	0.045	10
RA3-MW-3C (Dissolved)	MW-3C	Round 3	7/5/2007	Total Arsenic	**2.28**	0.045	10
RA3-MW-3C (Total)	MW-3C	Round 3	7/5/2007	Total Arsenic	**2.38**	0.045	10
RA3-MW-4A (Dissolved)	MW-4A	Round 3	7/6/2007	Total Arsenic	**1.02**	0.045	10
RA3-MW-4A (Total)	MW-4A	Round 3	7/6/2007	Total Arsenic	**1.28**	0.045	10
RA3-MW-4B (Total)	MW-4B	Round 3	7/5/2007	Total Arsenic	**1.25**	0.045	10
RA3-MW-4C (Total)	MW-4C	Round 3	7/6/2007	Total Arsenic	**1.14**	0.045	10

Bold and shaded values are Above PRGs or MCLS

Table 7. Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-1

(Values > PRGs or MCLs are Bold)

	MW-1-R7 (ug/l)		RA2-MW-1 (ug/l)		RA3-MW-1 (ug/l)	
Analyte Name	10/30/2006 (Round 1)	**Note**	4/3/2007 (Round 2)	**Note**	7/5/2007 (Round 3)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03	
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09	
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03	
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02	
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01	
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
2-Nitrotoluene	< 0.09		< 0.09		< 0.09	
3-Nitrotoluene	< 0.09		< 0.09		< 0.09	
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
4-Nitrotoluene	< 0.09		< 0.09		< 0.09	
HMX	< 3		< 3		< 3	
Nitrobenzene	< 0.03		< 0.03		< 0.03	
Nitroglycerin	< 0.09		< 0.09		< 0.09	
PETN	< 0.1		< 0.1		< 0.1	
RDX	< 0.1		< 0.1		< 0.1	
Tetryl	< 0.5		< 0.5		< 0.5	

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-2

(Values > PRGs or MCLs are Bold)

	MW-2-R7 (Values in ug/l)		RA2-MW-2		RA3-MW-2	
Analyte Name	11/3/2006 (Round 1)	**Note**	4/4/2007 (Round 2)	**Note**	7/6/2007 (Round 2)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03	1
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09	1
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03	1
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02	1
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01	1
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	1
2-Nitrotoluene	< 0.09		< 0.09		< 0.09	1
3-Nitrotoluene	< 0.09		< 0.09		< 0.09	1
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	1
4-Nitrotoluene	< 0.09		< 0.09		< 0.09	1
HMX	< 3		< 3		< 3	1
Nitrobenzene	< 0.03		< 0.03		< 0.03	1
Nitroglycerin	< 0.09		< 0.09		< 0.09	1
PETN	< 0.1		< 0.1		< 0.1	1
RDX	< 0.1		< 0.1		< 0.1	1
Tetryl	< 0.5		< 0.5		< 0.5	1

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-3A

(Values > PRGs or MCLs are Bold)

	MW-3A-R7 (ug/l)		RA2-MW-3A (ug/l)		RA3-MW-3A (ug/l)	
Analyte Name	11/2/2006 (Round 1)	**Note**	4/4/2007 (Round 2)	**Note**	7/5/2007 (Round 3)	**Note**
1,3,5-Trinitrobenzene	< 0.03	1	< 0.03		< 0.03	
1,3-Dinitrobenzene	< 0.09	1	< 0.09		< 0.09	
2,4,6-Trinitrotoluene	< 0.03	1	< 0.03		< 0.03	
2,4-Dinitrotoluene	< 0.02	1	< 0.02		< 0.02	
2,6-Dinitrotoluene	< 0.01	1	< 0.01		< 0.01	
2-Amino-4,6-dinitrotoluene	< 0.1	1	< 0.1		< 0.1	
2-Nitrotoluene	< 0.09	1	< 0.09		< 0.09	
3-Nitrotoluene	< 0.09	1	< 0.09		< 0.09	
4-Amino-2,6-dinitrotoluene	< 0.1	1	< 0.1		< 0.1	
4-Nitrotoluene	< 0.09	1	< 0.09		< 0.09	
HMX	< 3	1	< 3		< 3	
Nitrobenzene	< 0.03	1	< 0.03		< 0.03	
Nitroglycerin	< 0.09	1	< 0.09		< 0.09	
PETN	< 0.1	1	< 0.1		< 0.1	
RDX	< 0.1	1	< 0.1		< 0.1	
Tetryl	< 0.5	1	< 0.5		< 0.5	

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-3B

(Values > PRGs or MCLs are Bold)

	MW-3B-R7 (ug/l)		RA2-MW-3B (ug/l)		RA3-MW-3B (ug/l)	
Analyte Name	11/2/2006 (Round 1)	**Note**	4/4/2007 (Round 2)	**Note**	7/5/2007 (Round 3)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03	
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09	
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03	
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02	
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01	
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
2-Nitrotoluene	< 0.09		< 0.09		< 0.09	
3-Nitrotoluene	< 0.09		< 0.09		< 0.09	
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
4-Nitrotoluene	< 0.09		< 0.09		< 0.09	
HMX	< 3		< 3		< 3	
Nitrobenzene	< 0.03		< 0.03		< 0.03	
Nitroglycerin	< 0.09		< 0.09		< 0.09	
PETN	< 0.1		< 0.1		< 0.1	
RDX	< 0.1		< 0.1		< 0.1	
Tetryl	< 0.5		< 0.5		< 0.5	

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-3C

(Values > PRGs or MCLs are Bold)

	MW-3C-R7 (Round 1)		MW-3C-R7-D (Round 1 Field Split)		MW-3C-R7-MS/MSD (Round 1 Reanalysis)		RA2-MW-3C (Round 2)		RA2-MW-10 (Round 2 Field Split)		RA3-MW-3C (Round 3)	
Analyte Name	11/3/2006 (ug/l)	**Note**	11/3/2006 (ug/l)	**Note**	11/3/2006 (ug/l)	**Note**	4/4/2007 (ug/l)	**Note**	4/4/2007 (ug/l)	**Note**	7/5/2007 (ug/l)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03		< 0.03		< 0.03	1	< 0.03	
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09		< 0.09		< 0.09	1	< 0.09	
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03		< 0.03		< 0.03	1	< 0.03	
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02		< 0.02		< 0.02	1	< 0.02	
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01		< 0.01		< 0.01	1	< 0.01	
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1		< 0.1		< 0.1	1	< 0.1	
2-Nitrotoluene	< 0.09		< 0.09		< 0.09		< 0.09		< 0.09	1	< 0.09	
3-Nitrotoluene	< 0.09		< 0.09		< 0.09		< 0.09		< 0.09	1	< 0.09	
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1		< 0.1		< 0.1	1	< 0.1	
4-Nitrotoluene	< 0.09		< 0.09		< 0.09		< 0.09		< 0.09	1	< 0.09	
HMX	< 3		< 3		< 3		< 3		< 3	1	< 3	
Nitrobenzene	< 0.03		< 0.03		< 0.03		< 0.03		< 0.03	1	< 0.03	
Nitroglycerin	< 0.09		< 0.09		< 0.09		< 0.09		< 0.09	1	< 0.09	
PETN	< 0.1		< 0.1		< 0.1		< 0.1		< 0.1	1	< 0.1	
RDX	< 0.1		< 0.1		< 0.1		< 0.1		< 0.1	1	< 0.1	
Tetryl	< 0.5		< 0.5		< 0.5		< 0.5		< 0.5	1	< 0.5	

1. The RA2-MW-10 sample is a split of sample RA2-MW-3C.

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-4A

(Values > PRGs or MCLs are Bold)

	MW-4A-R7 (Round 1)		RA2-MW-4A (Round 2)		RA3-MW-4A (Round 3)		Regulatory Limits	
Analyte Name	10/30/2006 (ug/l)	**Note**	4/3/2007 (ug/l)	**Note**	7/6/2007 (ug/l)	**Note**	**PRG (ug/l)**	**MCL (ug/l)**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03			
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09			
2,4,6-Trinitrotoluene	< 0.03		< 0.03		0.07		2.2	
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02			
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01			
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1			
2-Nitrotoluene	< 0.09		< 0.09		< 0.09			
3-Nitrotoluene	< 0.09		< 0.09		< 0.09			
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1			
4-Nitrotoluene	< 0.09		< 0.09		< 0.09			
HMX	< 3		< 3		< 3			
Nitrobenzene	< 0.03		< 0.03		< 0.03			
Nitroglycerin	< 0.09		< 0.09		< 0.09			
PETN	< 0.1		< 0.1		< 0.1			
RDX	< 0.1		< 0.1		0.11		0.61	
Tetryl	< 0.5		< 0.5		< 0.5			

Regulatory limits listed only for compounds with results reported above laboratory detection limits

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-4B

(Values > PRGs or MCLs are Bold)

	MW-4B-R7 (Round 1)		**RA2-MW-4B (Round 2)**		**RA3-MW-4B (Round 3)**	
Analyte Name	10/31/2006 (ug/l)	**Note**	4/3/2007 (ug/l)	**Note**	7/5/2007 (ug/l)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03	
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09	
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03	
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02	
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01	
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
2-Nitrotoluene	< 0.09		< 0.09		< 0.09	
3-Nitrotoluene	< 0.09		< 0.09		< 0.09	
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
4-Nitrotoluene	< 0.09		< 0.09		< 0.09	
HMX	< 3		< 3		< 3	
Nitrobenzene	< 0.03		< 0.03		< 0.03	
Nitroglycerin	< 0.09		< 0.09		< 0.09	
PETN	< 0.1		< 0.1		< 0.1	
RDX	< 0.1		< 0.1		< 0.1	
Tetryl	< 0.5		< 0.5		< 0.5	

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-4C

(Values > PRGs or MCLs are Bold)

	MW-4C-R7 (Round 1)		RA2-MW-4C (Round 2)		RA3-MW-4C (Round 3)		RA3-MW-15 (Round 3 Field Split)	
Analyte	10/31/2006 (ug/l)	**Note**	4/3/2007 (ug/l)	**Note**	7/6/2007 (ug/l)	**Note**	7/6/2007 (ug/l)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03		< 0.03	1
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09		< 0.09	1
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03		< 0.03	1
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02		< 0.02	1
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01		< 0.01	1
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1		< 0.1	1
2-Nitrotoluene	< 0.09		< 0.09		< 0.09		< 0.09	1
3-Nitrotoluene	< 0.09		< 0.09		< 0.09		< 0.09	1
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1		< 0.1	1
4-Nitrotoluene	< 0.09		< 0.09		< 0.09		< 0.09	1
HMX	< 3		< 3		< 3		< 3	1
Nitrobenzene	< 0.03		< 0.03		< 0.03		< 0.03	1
Nitroglycerin	< 0.09		< 0.09		< 0.09		< 0.09	1
PETN	< 0.1		< 0.1		< 0.1		< 0.1	1
RDX	< 0.1		< 0.1		< 0.1		< 0.1	1
Tetryl	< 0.5		< 0.5		< 0.5		< 0.5	1

1. The RA3-MW-15 sample is a split of sample RA3-MW-4C.

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well MW-5

(Values > PRGs or MCLs are Bold)

	RA1-MW-5 (Round 1)		RA1-MW-11 (Round 1 Field Split)		RA2-MW-5 (Round 2)		RA2-MW-11 (Round 2 Field Split)		RA3-MW-5L (Round 3)		RA3-MW-14L (Round 3 Field Split)	
Analyte Name	4/5/2007 (ug/l)	**Note**	4/5/2007 (ug/l)	**Note**	6/21/2007 (ug/l)	**Note**	6/21/2007 (ug/l)	**Note**	6/24/2008 (ug/l)	**Note**	6/24/2008 (ug/l)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03	1	< 0.03		< 0.03	2	< 0.03		< 0.03	3
1,3-Dinitrobenzene	< 0.09		< 0.09	1	< 0.09		< 0.09	2	< 0.09		< 0.09	3
2,4,6-Trinitrotoluene	< 0.03		< 0.03	1	< 0.03		< 0.03	2	< 0.03		< 0.03	3
2,4-Dinitrotoluene	< 0.02		< 0.02	1	< 0.02		< 0.02	2	< 0.02		< 0.02	3
2,6-Dinitrotoluene	< 0.01		< 0.01	1	< 0.01		< 0.01	2	< 0.01		< 0.01	3
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1	1	< 0.1		< 0.1	2	< 0.1		< 0.1	3
2-Nitrotoluene	< 0.09		< 0.09	1	< 0.09		< 0.09	2	< 0.09		< 0.09	3
3-Nitrotoluene	< 0.09		< 0.09	1	< 0.09		< 0.09	2	< 0.09		< 0.09	3
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1	1	< 0.1		< 0.1	2	< 0.1		< 0.1	3
4-Nitrotoluene	< 0.09		< 0.09	1	< 0.09		< 0.09	2	< 0.09		< 0.09	3
HMX	< 3		< 3	1	< 3		< 3	2	< 3		< 3	3
Nitrobenzene	< 0.03		< 0.03	1	< 0.03		< 0.03	2	< 0.03		< 0.03	3
Nitroglycerin	< 0.09		< 0.09	1	< 0.09		< 0.09	2	< 0.09		< 0.09	3
PETN	< 0.1		< 0.1	1	< 0.1		< 0.1	2	< 0.1		< 0.1	3
RDX	< 0.1		< 0.1	1	< 0.1		< 0.1	2	< 0.1		< 0.1	3
Tetryl	< 0.5		< 0.5	1	< 0.5		< 0.5	2	< 0.5		< 0.5	3

1. The RA1-MW-11 sample is a split of sample RA1-MW-5.
2. The RA2-MW-11 sample is a split for sample RA2-MW-5.
3. The RA3-MW-14L sample is a split of sample RA3-MW-5L.

Table 7 (Con't). Groundwater Explosive Concentrations Reported by the Analytical Laboratory for Well SP-7

(Values > PRGs or MCLs are Bold)

	SP7-R7 (Round 1)		**RA2-SP-7 (Round 2)**		**RA3-SP-7 (Round 3)**	
Analyte Name	10/31/2006 (ug/l)	**Note**	4/4/2007 (ug/l)	**Note**	7/5/2007 (ug/l)	**Note**
1,3,5-Trinitrobenzene	< 0.03		< 0.03		< 0.03	
1,3-Dinitrobenzene	< 0.09		< 0.09		< 0.09	
2,4,6-Trinitrotoluene	< 0.03		< 0.03		< 0.03	
2,4-Dinitrotoluene	< 0.02		< 0.02		< 0.02	
2,6-Dinitrotoluene	< 0.01		< 0.01		< 0.01	
2-Amino-4,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
2-Nitrotoluene	< 0.09		< 0.09		< 0.09	
3-Nitrotoluene	< 0.09		< 0.09		< 0.09	
4-Amino-2,6-dinitrotoluene	< 0.1		< 0.1		< 0.1	
4-Nitrotoluene	< 0.09		< 0.09		< 0.09	
HMX	< 3		< 3		< 3	
Nitrobenzene	< 0.03		< 0.03		< 0.03	
Nitroglycerin	< 0.09		< 0.09		< 0.09	
PETN	< 0.1		< 0.1		< 0.1	
RDX	< 0.1		< 0.1		< 0.1	
Tetryl	< 0.5		< 0.5		< 0.5	

Table 8. Perchlorate Concentrations from Makua Monitoring Wells Reported by the Analytical Laboratory

Field Label	Well Number	Round Number	Collection Date	Perchlorate Concentration
MW-1-R7	MW-1	1	10/30/2006	< 1
MW-2-R7	MW-2	1	11/3/2006	< 1
MW-3A-R7	MW-3A	1	11/2/2006	< 1
MW-3B-R7	MW-3B	1	11/2/2006	< 1
MW-3C-R7	MW-3C	1	11/3/2006	< 1
MW-3C-R7-D	MW-3C - field split	1	11/3/2006	< 1
MW-3C-R7-MS/MSD	MW-3C - Reanalysis	1	11/3/2006	< 1
MW-4A-R7	MW-4A	1	10/30/2006	1.1
MW-4B-R7	MW-4B	1	10/31/2006	1
MW-4C-R7	MW-4C	1	10/31/2006	1.1
RA1-MW-11	MW-5 field split	1	4/5/2007	1.2
RA1-MW-5	MW-5	1	4/5/2007	1.2
SP7-R7	SP-7	1	10/31/2006	< 1
RA2-MW-1	MW-1	2	4/3/2007	< 1
RA2-MW-10	MW-3C field split	2	4/4/2007	< 1
RA2-MW-11	MW-5 field split	2	6/21/2007	1.3
RA2-MW-2	MW-2	2	4/4/2007	< 1
RA2-MW-3A	MW-3A	2	4/4/2007	< 1
RA2-MW-3B	MW-3B	2	4/4/2007	< 1
RA2-MW-3C	MW-3C	2	4/4/2007	< 1
RA2-MW-4A	MW-4A	2	4/3/2007	1.1
RA2-MW-4B	MW-4B	2	4/3/2007	1.2
RA2-MW-4C	MW-4C	2	4/3/2007	1.1
RA2-MW-5	MW-5	2	6/21/2007	1.3
RA2-SP-7	SP-7	2	4/4/2007	< 1
RA3-MW-1	MW-1	3	7/5/2007	< 1
RA3-MW-14L	MW-5 field split	3	6/24/2008	1.2
RA3-MW-15	MW-4C field split	3	7/6/2007	1
RA3-MW-2	MW-2	3	7/6/2007	< 1
RA3-MW-3A	MW-3A	3	7/5/2007	< 1
RA3-MW-3B	MW-3B	3	7/5/2007	< 1
RA3-MW-3C	MW-3C	3	7/5/2007	< 1
RA3-MW-4A	MW-4A	3	7/6/2007	1.1
RA3-MW-4B	MW-4B	3	7/5/2007	< 1
RA3-MW-4C	MW-4C	3	7/6/2007	1
RA3-MW-5L	MW-5	3	6/24/2008	< 1
RA3-SP-7	SP-7	3	7/5/2007	< 1

EPA Region IX PRG for Perchlorate is 28 ug/l. All values below PRGs.

Table 9. Soil, Surface Water, and Groundwater Sample Results for Tungsten Reported by the Analytical Laboratory

Soil Results (Tungsten = W)		
Sample Label	**Date**	**Total Tungsten**
RAS-12	4/5/2007	3.1 J
RAS-13	4/5/2007	< 5 mg/Kg
RAS-14	4/5/2007	< 5 mg/Kg
RAS-15	4/5/2007	3.0 J
RAS-16	4/5/2007	3.3 J
RAS-17	4/5/2007	2.1 J
RAS-18	4/5/2007	< 5 mg/Kg
RAS-19	4/5/2007	< 5 mg/Kg
RAS-20	4/5/2007	2.2 J

Surface Water Results		
		Values in ug/l
Sample Label	**Date**	**Total Tungsten**
RA4-SW-10FF	12/11/2007	18.1
RA4-SW-7FF	12/11/2007	23.2
(all other surface water samples non-detectable for Tungsten)		

Groundwater Results					
Sample Label	**Date**	**Well Number**	**Total Tungsten**	**Note**	**Round Number**
MW-3C-R7	11/3/2006	MW-3C	2.0		1
MW4C-R7	10/31/2006	MW-4C	1.3		1
RA2-MW-10	4/4/2007	MW-3C field split	1.4		2
RA2-MW-3B	4/4/2007	MW-3B	0.4	J	2
RA2-MW-3C	4/4/2007	MW-3C	1.4		2
RA2-MW-4A	4/3/2007	MW-4A	0.5	J	2
RA2-MW-4B	4/3/2007	MW-4B	0.4	J	2
RA2-MW-4C	4/3/2007	MW-4C	0.5	J	2
RA3-MW-1	7/5/2007	MW-1	0.5		3
RA3-MW3C	7/5/2007	MW-3C	1.2		3
RA3-SP7	7/5/2007	SP-7	0.6		3

J = Semiquantified Result

(No Preliminary Remediation Goals or Maximum Contaminant Limits Available for Tungsten)